

~~SECRET~~

25X1A9a

THRU : Chief, St/I; Attention: Mr. [REDACTED]
Chief, D/S

29 November 55

Chief, S/CST
25X1A2g

[REDACTED] for China

REF : St/I Notice No.20, 18 Nov 55

1. S/CST has no requirements as to Tientsin, but requirements will follow at a later date in regard to Wu-han and Hang-chou.

2. The following requirements on the cities of Nanking and Canton are presented for incorporation into the Program.

<u>Coordinates</u>	<u>Item and Description</u>	<u>Location</u>	<u>Requirement</u>
32°10N 119°03E	China Portland Cement Co. Cement plant: buildings, storage facilities (probably silos), rotary kilns (perhaps housed) with smoke stack at one end of kiln (s)	Lung-tan-chen, Nanking. About one mile east of Lung-tan-chen on the Nanking-Shanghai Railroad.	How many kilns; their length and diameter to the outer circumference; how many are operating or will be operating after simple maintenance repairs?
32°09N 118°57E	Cement works at Chen-chuan; description as above	Chen-chuan About 5 miles west of above plant at Lung-tan-chen and about 20 miles northeast of Nanking	Same as above
23°09N 113°14E	Hsi-ts'un Cement Plant: description as above	Canton, at the coordinates given	Same as above. Are there other cement plants in the Canton area, e.g., on Honan Island (23°05N-113°18E)?

25X1A9a

25X1A9a

ORR/S/CST: [REDACTED] :rw/4597 (28 Nov 55)